

Flow Research, Inc. 27 Water Street Wakefield, MA 01880 www.flowresearch.com

(781) 245-3200 (781) 224-7552 (fax)

Contact: Belinda Burum, Flow Research: (781) 245-3200 - belinda@flowresearch.com

For immediate release

## New Flow Research Study Finds Fast-Growing Magnetic Flowmeter Market

Wakefield, Massachusetts; September 14, 2005 — The worldwide magnetic flowmeter market equaled \$710 million in 2004, according to a new market study from Flow Research (www.flowresearch.com). The study is called *The Global Market for Magnetic Flowmeters, 3<sup>rd</sup> Edition*. Revenues from the sale of magnetic flowmeters are projected to increase at a compound annual growth rate (CAGR) of 5.1 percent through 2009, when they are expected to equal \$910 million. Europe accounts for 41 percent of the total, while North America accounts for just over 21 percent. The fastest growth will occur in the Asia without Japan and the Rest of World regions.


In many applications, magnetic flowmeters are displacing traditional technology meters, including differential pressure (DP), positive displacement, and turbine meters. Unlike positive displacement and turbine meters, magnetic flowmeters do not have moving parts that are subject to wear over time. And unlike DP flowmeters, magnetic flowmeters do not use a primary element to cause a constriction in the flowstream. The use of a primary element can cause significant pressure loss, and primary elements are themselves subject to wear. With no moving parts and little pressure loss, magnetic flowmeters offer reliability and low cost of ownership.

Dr. Jesse Yoder, president of Flow Research, explains the growth in the magnetic flowmeter market as follows: "Customers are selecting magnetic flowmeters due to their accuracy and reliability. They are also taking advantage of a number of technological improvements to magnetic flowmeters made in the past few years. These include improvements in high-strength DC meters, accuracy enhancements, the increased availability of 2-wire meters, and the introduction of more types of magnetic flowmeter liners. In addition, more companies are now offering insertion meters, which enable magnetic flowmeters to measure flow in large pipes. They are a highly trusted flowmeter for liquid applications."

With all of their advantages, the primary limitation of magnetic flowmeters is their inability to measure the flow of nonconductive fluids. Suppliers have made progress in this area, bringing out magnetic flowmeters that can operate successfully in liquids with very low conductivity values. But despite this, magnetic flowmeters cannot measure the flow of gas or steam. Even so, magnetic flowmeters remain the meter of choice for a broad range of liquid applications.

## Flow Research, Inc.

Flow Research (<u>www.flowresearch.com</u>) is a market research company that specializes in providing market data and strategies on flow, pressure, and temperature products. In addition to the 500-page study, <u>*The Global Market for Magnetic Flowmeters, 3<sup>rd</sup> Edition* (http://www.flowresearch.com/Magnetic\_2005/overview.htm</u>), current study topics include vortex flowmeters, DP flowmeters and primary elements, and valves. Flow Research also publishes the *Worldflow Energy Monitor*, a quarterly update on the oil & gas, refining, and power & renewables industries. For more information, visit: (http://www.flowresearch.com/Worldflow/monitor.htm).



## Total Shipments of Magnetic Flowmeters Worldwide (Millions of Dollars)

Compound Annual Growth Rate (CAGR) = 5.1%